




Norbrook®

The Vet Range You Can

TRUST




product	Presentation	S
Calciject 40 CM	A clear solution containing : Calcium 33.33 gm magnesium 5 gm boric acid 6.84 gm	
BETAMOX LA	Off white sterile suspension containing: 150mg/ml Amoxicillin (as trihydrate)	
Pen & Strep	White aqueous sterile suspension each ml : Procaine penicillin 200 mg Dihydrostreptomycin 250 mg	
Noromectin Multi-Injections	A sterile non aqueous solution containing 1.0% W/V Ivermectin (10mg/ml)	
Norodine 24	Solution for Injection : Sulfadiazine 200mg Trimethoprim 40mg Preservative : Chlorocresol 1mg / ml Antioxidant : Sodium Formaldehyde SulphoxylateDihydrate 1mg / ml	



Species	Uses	Dosage	Forms	Withdrawal time
Cattle	Treatment of hypocalcaemia in cattle complicated by deficiency of magnesium.	S.C or slow IV In Cattle (200 – 400 ml)	Vials of 400 ml	None
Cattle Sheep Dog Cat	Amoxicillin is broad spectrum semi-synthetic penicillin, bactericidal in action. A single injection Gives prolonged activity. Indications include alimentary tract, respiratory tract, skin & soft tissues, urogenital tract, eye & ear infection.	1ml / 10 kg B. WT IM in cattle & sheep IM or SC in dog & cat	Vials of: 50 ml 100 ml	Meat 23 days Milk 3 days
Cattle Horses Sheep	All infections associated with organisms sensitive to penicillin /Streptomycin	Deep IM injection 1 ml for each 25 kg B.WT once daily for 3 days	Vials of : 100 ml 50 ml	Meat :8 days Milk: 3 days
Cattle Sheep Horses Dogs	Treatment & Control of Gastrointestinal Nematodes, Lung worms, Eye worms ,Warbles, Mites, sucking lice also control of nasal Bot	SC injection 1 ml/50 kg B.WT	Vials of: 50 ml 100 ml 250 ml	Meat :49 days Milk: Not used in cattle producing milk for human
Cattles Horses Dogs Cats	Treatment of: Alimentary tract infections (Diarrhea and salmonellosis) Urogenital tract infections (cystitis , vaginitis , urethritis , nephritis and metritis) Respiratory infections of bacterial origin including rhinitis , pneumonia , bronchitis bacterial infections secondary to viral disease such as viral pneumonia or mycoplasma infections Severe mastitis , bacterial agalactia of sows infections of eye , ear and mouth Foot rot Acute , subacute and chronic conditions of bacterial origin (Gram - negative and Gram positive bacteria including Streptococci , Staphylococci , Actinobacilli , Actinomycetes , Salmonella , Pasteurella , Pneumococci , Proteus , E. coli , Corynebacteria , Vibrio , Bordetella , Brucella , Klebsiellae and Haemophilae	Cattle 1ml per 16kg (3ml per 50 kg) / body-weight daily by intramuscular or slow intravenous injection Horses the dose is 1ml per 16kg bodyweight by slow intravenous injection . Dogs and cats the dose is 1ml per 8kg bodyweight , by subcutaneous injection only		Meat 12 days Milk 48 hours





The Vet Range You Can

TRUST



Address: 106 King Faisal St., Giza , Egypt. Tel: 33837138